Any shortage that may be noticed in the consignments on arrival will have to be made good by the contractors.

The material to be supplied should be of the quality and standard required.

The material is required to be supplied at the several places before the middle of March 1935.

Your quotation accompanied by sample of the material offered should reach this office on or before the 20th February 1935.

No. S. P. C. 14455-72, *dated* 11*th February* 1935.

To

The Firms dealing in Electric Wires.

Enquiry No. 1236.

MATERIALS REQUIRED FOR REWIRING LIGHTING INSTALLATION.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the following materials, required for rewiring lighting installation at the Government House, Mysore :—

(1)	Wire insulated, No. 3—·036 for 660-volts pressure 25,000 megohm grade (thickness of insulation not to exceed 3—64″)	17,000 ft.
(2)	Fixture wire size 3—·020	1,000 ,,
(3)	Cable, twin conductor, lead-covered, No. 12 B. & S. with bonded wire	1,200 ,,
(4)	Link Clips with shackles suitable for No. 12 B. & S. cable ..	2,000
(5)	Bow cut-outs, round type, 5-amps	100

Detailed specifications for the wires offered should be furnished in your tender.

The prices to be quoted should be for delivery f. o. r., Mysore.

This enquiry will close on the 5th March 1935.

No. S. P. C. 14440-54, *dated* 11*th February* 1935.

To

The Firms dealing in Electric Ceiling Fans.

Enquiry No. 1237.

CEILING FANS.

GENTLEMEN,

I write to request you to be so good as to quote your best price and the earliest time of delivery for the following materials :—

	Ceiling Fans, 60-cycles, 220—230-volts, A.C., 52″ sweep, white finish with gold lines, equipped with 3 or 4 blades, finished with white, insulated hanger top and bottom canopies and 4 point wall type regulator giving 3 running speeds	22

Detailed specifications of the fans offered by you should be furnished in your tender.

The price to be quoted should be for delivery f.o.r., Mysore.

This enquiry will close on the 25th February 1935.

No. S. P. C. 14426-35, *dated* 11*th February* 1935.

To

The Firms dealing in Calculating Machine.

Enquiry No. 1238.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Calculating Machine" with the above enquiry Number.

This enquiry will be closed on the 23rd February 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Calculating Machine	One	Bangalore.	

N.B.—Leaflets illustrating and describing the use of the machine offered by you should also be furnished with the quotation.

No. S. P. C. 14416-25, *dated* 11*th February* 1935.

To

The Firms dealing in Stoneware Pipes.

Enquiry No. 1239.

STONEWARE PIPES.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below :—

7″ Stoneware pipes	2,500	
7″×4″ single right angle junctions	200	
4″ Stoneware pipes	1,000	
4″ Stoneware Eye bends	200	
4″ Stoneware ¼ bends	100	
6″×4″ gully traps	250	
7″ Hume Pipes	1,000	running feet
4″ Hume Pipes	1,000	do

N.B.—The pipes and specials should be 2′ long manufactured by more refractory clays free from lime and its compounds vitrified throughout their substance. They should be salt glazed, free from flaws and small holes. The pipes should be either of Burn & Co's. or Perfect Pottery Co's. manufacture.

This enquiry will be subject to the following conditions :—

(1) The prices to be quoted should be for delivery f. o. r., Mysore.
(2) The quotation should hold good for a period of one year from the date the contract is let.
(3) The Stores Purchase Committee do not bind themselves to purchase any definite quantity of the above materials during the contract period. The contract should be deemed to be limited to the quantities to be actually drawn.
(4) Supplies will have to be made as and when indented for by the Chairman, City Improvement Trust Board, Mysore, the indents being complied with within a fortnight from the date of receipt.
(5) The indents of other Departments of our Government, if any, should also be complied with.
(6) Withdrawal from the quotation after it is accepted or failure to make the supplies within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Stoneware Pipes" and sent to the undersigned.

This enquiry will be closed on the 26th February 1935.

No. S. P. C. 14406-15, *dated* 11*th February* 1935.

To

The Firms Dealing in Iron Safes.

Enquiry No. 1240.

IRON SAFES REQUIRED DURING 1933-34.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery in Government Offices in Bangalore for iron safes described below furnishing complete specifications of the safes of the following sizes :—

Size.	*Height.*	*Width.*	*Depth.*
1	23″	19″	19″ outside.
	21½″	18½″	15″ inside.
2	30″	21″	21″ outside.
	28½″	20½″	17″ inside.

The specification of the iron safes should be as follows :—

The integral body of the safe should be made of a single continuous ⅛″ thick best steel plate bent cold with a single joint at the bottom substantially made by putting a full plate, all the sixteen edges being bent cold and the corners welded. The safe should consist of single door and two drawers at the bottom and a shelf should also be provided. The safe should be fitted with good six lever lock and check key, having independent keys for the drawers. The safe must possess very high class quality of fire resisting compound and should be capable of withstanding a severe fire test, if necessary without effecting the contents thereof. The safe should also be burglar proof.

The rates quoted should hold good for one year from the date the contract is let.

The Stores Purchase Committee do not bind themselves to purchase any definite number of safes and the contract will be deemed to be limited to the number to be actually drawn by the Departments during the contract period.

Enhancement of the prices quoted for by you cannot, under any circumstances, be allowed during the contract period.

Your quotation should be for iron safe manufactured strictly according to the above specification.

The enquiry will be closed on 25th February 1935.

The quotation should be superscribed " Quotation for Iron Safe " and sent to the undersigned.

No. S. P. C. 14475-84, *dated* 11*th February* 1935.

To

The Firms Dealing in Card-Board Boxes.

Enquiry No. 1241.

CARD-BOARD BOXES.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below :—

Card-Board Boxes required for packing Sealing wax in the following sizes :—

(1) One lb. boxes .. .. No. 3,000
(2) One-fourth lb. boxes .. .. No. 2,000

N.B.—The quotation should be for delivery f. o. r., Bangalore City.

The quotation should be for complete card-board boxes of the patterns sent herewith. It is very necessary that the boxes to be offered should be exactly similar to the samples furnished.

The time within which the material will be delivered, if an order is placed, may be intimated clearly, as the boxes are required urgently.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases

being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotation should be superscribed "Quotations for Card-board boxes" and sent to the undersigned.

This enquiry will be closed on the 23rd February 1935.

No. S. P. C. 14485-96, *dated* 11*th February* 1935.

To

The Firms Dealing in Pressure Gauges.

Enquiry No. 1242.

BOILER PRESSURE GAUGE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Boiler Pressure Gauge" with the above enquiry Number.

This enquiry will be closed on the 23rd February 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Boiler Pressure Gauge to Gauge pressures from 200 to 300 lbs. or more	One	Kolar. Mysore Railways.	

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C....., *dated* 11*th February* 1935.

NOTICE.

Enquiry No. 1225.

500 K. W. FREQUENCY CHANGER SET.

Sealed tenders will be received by the undersigned, up to 2nd April 1935, for the supply of one 500 K. W. Frequency Changer Set and Penal Accessories for the same. The frequency changer set has to match with and work in parallel with similar existing equipment of Messrs. International General Electric Company's make. Detailed specifications can be had on application to the undersigned.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.